



**Wellice**



**Soft Ice cream machine**  
**Cold beverage dispenser**  
**Ice Machinery**

[www.wellice.co.kr/wellice\\_en](http://www.wellice.co.kr/wellice_en)

# Soft Ice Cream Machine

## < COUNTER TOP >

AT 116 / AT 119



AT 128



AT 130 / AT 140



### Product Specialties



- Single Phase (220V) enables easy installation
- Beside soft serve and yogurt recipes, available for various recipes
- Noiseless operation to be installed at Café or Restaurant
- Alert function for machine condition



모 델 / MODEL	AT 116	AT 119	AT 128	AT 130	AT 140
소비전력 / POWER	2.0 (Kw)	2.1 (Kw)	2.2 (Kw)	2.2 (Kw)	2.4 (Kw)
전 원 / ELECTRICITY	220V / 1Ph	220V / 1Ph	220V / 1Ph	220V / 1Ph	220V / 1Ph
외형크기 / DIMENSION	340*690*780 (mm)	340*720*780 (mm)	450*720*800 (mm)	450*750*800 (mm)	450*835*800 (mm)
중 량 / WEIGHT	65 (Kg)	72 (Kg)	100 (Kg)	100 (Kg)	110 (Kg)
실린더 용량 / CYLINDER	1.6 (L)	1.9 (L)	1.9 (L)	1.9 (L)	2.4 (L)
원료통 용량 / HOPPER	5.0 (L)	9.0 (L)	9.0 (L)	9.0 (L)	9.0 (L)
초기도달 / INITIAL ELAPSED TIME	06'00" - 08'00"	06'00" - 08'00"	07'00" - 09'00"	07'00" - 09'00"	08'00" - 10'00"
생 산 량 / CAPACITY	14L/hr	24L/hr	22L/hr	24L/hr	28L/hr

✓ Production capacity may have differences by user's environment or habits .

All products are developed by pure korean technology. Made in Korea

# Soft Ice Cream Machine

< FLOOR TYPE >



AF 332

AF 356

AF 380



## Caution



Must be installed on substantial platform  
Unstable platform may cause poor performance and systematic error



Ventilation Space Necessary  
Please locate the machine against the blocks at least 25cm far



Keep away from the heat  
Keep the distance (at least 1m) from hot temperature



Must be linked to GROUND CONNECTION  
Please earth the socket for your safety



Use with care  
It may cause serious damage if water flows into the operation part of machine



## Product Specialty

Various models enable to fit in various environments

모 델 / MODEL	AF 332	AF 356	AF 380
소비전력 / POWER	3.0 (Kw)	4.0 (Kw)	4.4 (Kw)
전 원 / ELECTRICITY	220V / 1Ph	220V / 1Ph	220V / 1Ph
외형크기 / DIMENSION	540*650*1475 (mm)	540*650*1490 (mm)	540*650*1490 (mm)
중 량 / WEIGHT	150 (Kg)	175 (Kg)	190 (Kg)
실린더 용량 / CYLINDER	1.9 (L) * 2	1.9 (L) * 2	2.4 (L) * 2
원료통 용량 / HOPPER	9.0 (L) * 2	9.0 (L) * 2	9.0 (L) * 2
초기도달 / INITIAL ELAPSED TIME	08'00" - 10'00"	07'00" - 09'00"	08'00" - 10'00"
생 산 량 / CAPACITY	32L/hr	44L/hr	56L/hr

User's ingredient and environment may affect machine's performance

All products are developed by pure korean technology. Made in Korea

# COLD BEVERAGE DISPENSER



## Durable and Compact Design

Any small place is available due to the compact design considering of weight and size  
Elegant and durable exterior design combining with stainless steel body

## Easy & simple to use and maintain conveniently

Large capacity (8L\*2) canister can allow a convenient usage  
Convenient cleaning of fan & fan cover by one touch type

## High safety

Non toxic grade polycarbonate canister ensures the safety and durability.  
Stable and permanent performance by using thermostat method,  
not micom method to control the water temperature

## Rapid Cooling System with high cooling performance

The Outstanding cooling efficiency allows to fast cooling down of temperature.  
The temperature of beverage would be cooling down under 10°C within 45minutes  
even if the surrounding temperature is 20°C ~30°C

## Keep the Low-Temperature to retain the freshness

First-ever special designed plate cooling method can make the fast cooling down and  
keep the low temperature stable  
This method can make enjoy the fresh beverage all the time  
even the canister has little beverage

## Reduced Noise in Operating by minimizing air resistance design

Fin tube condenser minimizes the heat from refrigerating device and  
free air circulation system allows to reduce noise in operating.

menu	2 kinds of cold beverage
Canister	2 8L * 2
Dimension	345(W)*610(H)*510(D)
Water supply	x
Net Weight	25 Kg
Gross Weight	25.5 Kg
Electricity	220V / 2300W
Cup Capacity	No cup storage
Type	Mixing Bowl
Menu Button	2/ Cold Beverage Dispenser
Remarks	Out standing cooling performance

# ICE MACHINERY



## ve ICE FLAKE MAKER SNOW

### ICE & WATER DISPENSER



<b>Dimension</b>	350(W)*480(H)*406(D)
<b>Weight</b>	14kg
<b>Ice making capacity</b>	15kg/24hr
<b>Ice storage</b>	1.5kg
<b>Water reservoir</b>	3L
<b>Charging time for full ice</b>	2hour
<b>Refrigerant type</b>	R-134A/90gr

- Compact and refined design suitable for any place
- Both cold water and ice cube available
- Auto Detecting System for full of ice and water
- Full automatic operation
- Outstanding reliability and long life



- Touch control button
- Semi-permanent BLDC cooling drum motor
- Automatic cleaning function Separated 2 compressors

Making Snow Ice  
in 20 sec



Model	VE SNOW I	VE SNOW II
Product Dimension	530(W) x 1150(H) x 520(D) mm	530(W) x 1180(H) x 560(D) mm
Weight	90kg	100kg
Electricity	Available for each country's option	
Capacity	SNOW ICE Production capacity : 300kg / 24hr SNOW ICE Storage : 50L	
Water Supply	Pumping from Water & Milk bottle Direct connection from water tap or purifier	Water / Milk container on top side (Max storage: 5 Liter * 1)
Drum speed	10~18 RPM (7 levels)	9~20 RPM (7 levels)
Compressor Type	Fully closed reciprocating	
Cooling type	Air-Cooling System	
Features	<ul style="list-style-type: none"> <li>- Semi-permanent BLDC cooling drum motor</li> <li>- Making Snow Ice in 20 sec</li> <li>- Washing gun of 60°C hot water for easy clean</li> </ul>	<ul style="list-style-type: none"> <li>- Separated 2 compressors (snow storage cabinet and cooling drum)</li> <li>- Door gasket to keep cooling temperature</li> <li>- Semi-permanent BLDC cooling drum motor</li> </ul>

# ICE MACHINERY

## ICE SHAVER



The ice shaver and crusher are designed with a smart appearance and convenient structure. Since the required volume of cocktail ice are input in making red bean sherbet, it is very sanitary and economical. When its lid is open in operating it, it stops automatically.

### \* Usage

Restaurants, Bakeries, Cafés, Hotels, Sushi Bars, etc.

Model No	ASIS-11	ASIS-55	ASIS-77	ASCS-35
Dimensions(W x L x H)	285 x 370 x 420	330 x 400 x 480	340 x 455 x 490	285 x 370 x 425
Power Consumption	230W	230W	230W	230W
Power Supply	110/220V 50/60Hz/1 Pahase	110/220V 50/60Hz/1 Pahase	110/220V 50/60Hz/1 Pahase	110/220V 50/60Hz/1 Pahase
G. Weight	19kg	17kg	19kg	20kg
Ice Grinding Capacity	1.5/1.8kg/Min	3/5kg/Min	3/5kg/Min	1.5/1.8kg/Min
Quantity of Ice Inlet	Approx. 1kg	Approx. 2kg	Approx. 2kg	Approx. 1kg
Certificates	CE, KC, PSE	CE, KC	KC	KC

### - Operation Manual

1. Plug in when power switch is off
2. Close lid after putting proper amount of ice cubes into inlet
3. Turn on the power switch on the right side (start motor operation)
4. Adjust the thickness of ice using blade control handle

#### (Precautions)

- A. When starting operation, make sure to close lid before turning on the power
  - B. Add ice cubes when machine stops
  - C. Put ice cubes to 1 cm below red cover inside lid
  - D. Evenly place ice cubes inside of inlet (If ice cubes lean to one side, this can cause machine vibration)
5. When the slicing lever is turned to the left, ice cubes are sliced. When it is turned to the right, ice slicing stops and ice crushing starts. (Slicing and crushing is applied to ASCS-35)

**More convenient, more comfortable and portable**

**Wellice**

## Technology Cold Dessert



[www.wellice.co.kr/wellice\\_en](http://www.wellice.co.kr/wellice_en)

- **Overseas Sales Department**  
A 2004, 22, Neuti-ro, Bundang-gu, Seongnam-si, Gyeonggi-do, Korea
- **Showroom**  
#204, Geumgang IT Tower, 215 Galmachiro, Joongwon Gu, Seongnam City, Gyeonggi Province, Korea
- **Factory / Warehouse**  
462 Docheock Wit Ro, Docheok Myeon, Gwangju City, Gyeonggi Province, Korea

Tel : 82 (0)2 3462 1228

Mobile : 82 (0)10 5372 9317

Fax : 82 (0)504 394 9317

E-mail : [salbert@naver.com](mailto:salbert@naver.com)